


2023



*COLLECTION BOOK
BUTTON INTERNATIONAL*





INNOVATION

DESIGN





Unit: mm






Applicable on Automatic Fastening Machine.
Could hugely increase the productivity.



Ideal grommet for both woven and knitted fabrics.





NW0








0178131-S POM



0178131
Ø 12.3 MM



0180033
Ø 12 MM




The snap STRENGTH is 20%
higher than average snaps.




0178131
Ø 12.3 MM

0178131
Ø 12.3 MM






0178107 / 0178112 TPU+POM




0178107
Ø 15 MM



0178112
Ø 12.5 MM



Rubberized Finish on Caps.



0178107
Ø 15 MM

0178107
Ø 15 MM

0178112
Ø 12.5 MM

0178112
Ø 12.5 MM



BUTTON INTERNATIONAL



Texture soft







0341346-S POM+BRASS




CORD 25 MM




RELEASE




LOCK








RELEASE




LOCK







CORD 3 MM
WEBBING 15 MM




Unit: mm



RELEASE



LOCK






0351225



TPU






CORD 6-8 MM
SEWING



Unit: mm




Adjustable






CORD 3 MM
WEBBING 6 MM



RELEASE



LOCK




Anti-Slip Design





0990345-S ABS/PP/ALU



Customized Logo and Sizes.



Replaceable Cap.






0540113-S POM



WEBBING 10 MM



Unit: mm




RELEASE






Press


LOCK



Both Orientation Operation









RELEASE




LOCK





0540118-S

POM



Unit: mm






Quick Release Connector



Wide Attach-On Area



Attaching Assistive Point








0510120 HYTREL



CORD 2.5-3 MM
WEBBING 10 MM







OVERSIZED
DESIGN



OVERSIZED
CORLOCKS



CORD 9-12 MM



Unit: mm

0341325

POM




RELEASE

LOCK



Beads - Free






0341359

ABS



CORD 6 MM

(The cord diameter should be less than 6 mm after compression)



Unit: mm




RELEASE



Customized LOGO




LOCK







0360257



TPU



CORD 12 MM
SEWING



Unit: mm





SUSTAINABILITY
ACCESSORIES



Recycled PET



Low WATER need.



Low ENERGY need.



Made of WASTES.


Recycled PET(recycled polyester,rPET) is made from recycled plastic bottles.

The production of recycled polyester requires far fewer resources than of new fibers and generates fewer CO2 emissions.

Guidelines

	YES	CONDITIONAL	NO
Recycled PET			
	Full compatibility	Limited compatibility	Low compatibility
Product Category	Cord Ends Sewing Buttons Slot Buttons Zipper Pullers	D Ring Tri-Glides Square Rings	Cord Locks Buckles Plastic Snap Fastener
List of Colors	Dark color	Light color	White color Fluorescent color Translucent color

Process of Recycled PET



Certification by



Recycled PET



Low WATER need.



Low ENERGY need.



Made of WASTES.



0490069
rPET
OUTER DIA 39.4x35.3 MM
INNER DIA 32x32 MM



0500440
rPET
OUTER DIA 49.7x28.2 MM
INNER DIA 41.5x6 MM
WEBBING 39 MM



0310642
rPET
12xH1.6 MM



0320171
rPET
10.5xH2.6 MM



0320170
rPET
12.6xH2.6 MM



Recycled PET



Low WATER need.



Low ENERGY need.



Made of WASTE.



♻️ 0410743
rPET
13.6x12xH4.4 MM



♻️ 0410744
rPET
14x6 MM



♻️ 0350358
rPET
15.3x5.6 MM
HOLE SIZE 3.5 MM
CORD 3 MM



Recycled Nylon



Low WATER need.



Low ENERGY need.



Made of WASTES.

We use recycled nylon made from industrial waste filber.

Nylon is a type of plastic made from crude oil. By using recycled nylon, we are reducing emissions and limiting our dependence on fossil fuels.

Guidelines

	YES	CONDITIONAL	NO
Recycled Nylon			
	Full compatibility	Limited compatibility	Low compatibility
Product Category	Cord Locks Cord Ends Sewing Buttons Slot Buttons	Buckles D Ring Tri-Glides Square Rings	Plastic Sanp Fastener
List of Colors	Dark color	Light color	White color Fluorescent color Translucent color

Process of Recycled Nylon



Waste fiber



rNY chips



Products

Certification by



Recycled Nylon



Low WATER need.



Low ENERGY need.



Made of WASTE.



♻️ 0490083
rNY
OUTER DIA 35.2x27.6xH2.5 MM
INNER DIA 13.8x2.5 MM (SIDE BARS)
INNER DIA 30x2.8 MM (BOTTOM BAR)



♻️ 0490084
rNY
OUTER DIA 39.4x35.3 MM
INNER DIA 32x32 MM



♻️ 0490081
rNY
OUTER DIA 32.2x19.8xH2.5 MM
INNER DIA 26x11.6 MM
WEBBING 25 MM



♻️ 0500443
rNY
OUTER DIA 32.4x18.2xH3.3 MM
INNER DIA 26x3.5 MM
WEBBING 25 MM



Recycled Nylon



Low WATER need.



Low ENERGY need.



Made of WASTES.



 0351227
rNY
15x5.4xH6.4 MM
HOLE SIZE 3 MM
CORD 2-3 MM



 0351228
rNY
14x6.3xH4 MM
HOLE SIZE 4 MM
CORD 3-4 MM



 0351230
rNY
OUTER DIA 31.3x7xH5.2 MM
INNER DIA 10.6x2.3 MM



 0320178
rNY
12.7x4 MM



Recycled Nylon



Low WATER need.



Low ENERGY need.



Made of WASTES.



0500164

rNY

OUTER DIA 49.7X28.2 MM

INNER DIA 41.5x6 MM

WEBBING 39 MM



0530038

rNY

45.86x41.6x7.5 MM

WEBBING 40 MM



Recycled Nylon



Low WATER need.



Low ENERGY need.



Made of WASTES.



♻️ 0510127
rNY
OUTER DIA 47x24.2xH4.7 MM
INNER DIA 16x3.4 MM
WEBBING 15 MM



♻️ 0510129
rNY
OUTER DIA 54.2x23xH5.5 MM
INNER DIA 15x2.5 MM
WEBBING 15 MM




♻️ 0510126
rNY
OUTER DIA 21.5x15.1 MM
INNER DIA 11.2x1.6 MM
WEBBING 10 MM





CORD 3 MM



RELEASE



LOCK





WEBSITE

BUTTON INTERNATIONAL

www . e-button . com . tw